

Dr. ANTONIO MARCHIORI

CURRICULUM VITAE

Nato a Padova il 13/06/1967, consegue la maturità classica nel 1986 e si laurea in Medicina e Chirurgia presso l'Università di Padova il 25/03/1993 con punti 110/110 e lode discutendo la tesi "Valutazione di tre metodi funzionali per il dosaggio della proteina S" con il prof. A. Girolami.

Consegue l'abilitazione all'esercizio della Professione di Medico Chirurgo a Padova nella prima sessione del 1993 e si iscrive all'Albo dei Medici Chirurghi di Venezia il 27/05/1993.

Presta servizio militare dal 10/10/1994 al 02/01/1995 presso la Scuola di Sanità Militare di Firenze e dal 03/01/1995 al 09/01/1996, come ufficiale medico, presso il Policlinico Militare di Padova in qualità di Assistente del Reparto di Medicina.

Medico frequentatore presso la Clinica Medica II di Padova dal giugno 1993, si è iscritto lo stesso anno alla Prima Scuola di Specializzazione in Medicina Interna dell'Università di Padova, conseguendone il diploma il 23/12/1999 con punti 70/70 e lode.

Nell'anno accademico 2000-2001 è stato ammesso al Corso di Dottorato in Scienze Endocrine ed Ematologiche (XVI ciclo) ed ne ha conseguito il titolo di Dottore di ricerca il 13/02/2004 discutendo la tesi "Trattamento della trombosi venosa superficiale: risultati di uno studio randomizzato".

Dall' 1/06/2001 al 1/04/2002 ha svolto un periodo di formazione in epidemiologia clinica presso il Dipartimento di Epidemiologia Clinica dell'Università di Maastricht (NL). Con la supervisione e l'insegnamento diretto del Prof. M. H.Prins, direttore di tale dipartimento, ha potuto approfondire le sue conoscenze di metodologia della ricerca clinica e

acquisire una buona esperienza non solo teorica ma pratica delle principali tecniche di analisi statistica multivariata (Cox regression analysis, logistic regression analysis, etc) con l'utilizzo di pacchetti di statistica quali SPSS, SAS.

Ha svolto negli ultimi anni attività di ricerca nel campo del tromboembolismo venoso, contribuendo all'ideazione, conduzione ed elaborazione dei dati di sperimentazioni cliniche originali, alcune delle quali già pubblicate da autorevoli riviste tra le quali New England Journal of Medicine, Annals of Internal Medicine, Blood, Archives of Internal Medicine, BMJ (vedi pubblicazioni).

Dal ^{16/04/2002}~~maggio 2002~~ lavora quale dirigente medico con rapporto esclusivo e a tempo indeterminato nella disciplina di medicina interna presso il Dipartimento Interaziendale di Medicina d'Urgenza e Pronto Soccorso di Padova.

Ha partecipato negli ultimi anni a numerosi corsi di formazione/aggiornamento nell'ambito della medicina d'urgenza e di pronto soccorso tra i quali ACLS, ATLS, AMLS, corsi sulla gestione delle emergenze NBC, corsi di ecografia e di ecocardiografia nell'emergenza-urgenza. Ha partecipato in qualità di istruttore ad alcuni corsi di formazione organizzati dall'Azienda ULSS 16 nel 2003 per il personale paramedico sull'identificazione e trattamento delle emergenze intraspedaliere.

Negli AA 2003-2004, 2004-2005 e 2005-2006 ha tenuto, in qualità di docente titolare esperto esterno, l'insegnamento di "Statistica: epidemiologia clinica" presso la Scuola di Specializzazione in Angiologia Medica dell'Università degli Studi di Padova, diretta dal Ch.mo Prof Antonio Pagnan.

E' attualmente iscritto al quarto anno della Seconda Scuola di Specializzazione in Cardiologia dell'Università degli Studi di Padova.

PUBBLICAZIONI

- ♦ Simioni P, Girolami B, Zanardi S, Saracino MA, Gavasso S, **Marchiori A**, Girolami A. Difetti ereditari di proteina S: studio in 52 pazienti. Trombosi ed Aterosclerosi, 1992; vol 3 n 2:91-103
- ♦ Girolami A, Simioni P, Girolami B, **Marchiori A**, Millar DS, Bignell P, Kakkar VV, Cooper DN A novel dysfunctional protein C (protein C Padua 2) associated with a thrombotic tendency: substitution of Cys for Arg 1 results in a strongly reduced affinity for binding of Ca⁺⁺. British Journal of Haematology 1993;85: 521-527
- ♦ Prandoni P, Villalta S, Bagatella P, Rossi L, **Marchiori A**, Piccioli A et al. The clinical course of deep vein thrombosis. Prospective long-term follow-up of 528 patients. Haematologica 1997;82: 423-428
- ♦ Girolami A, Simioni P, Zanon E, Girolami B, **Marchiori A**. Factor V Leiden (activated protein C resistance) versus factor V deficiency in Padua, Italy. Clinical and applied thrombosis/haemostasis 1998, 4(3):201-204.
- ♦ Bernardi E, Prandoni P, Lensing WA, Agnelli G, Guazzaloca G, Scannapieco G, Piovella F, Verlato F, Tomasi C, Moia M, Scarano L, Girolami A, **Marchiori A** et al. D-dimer testing as an adjunct to ultrasonography in patients with clinically suspected deep vein thrombosis: prospective cohort study. BMJ 1998;317:1037-40
- ♦ Girolami A, Scarano L, Saggiorato G, Girolami B, Bertomoro A and **Marchiori A**. Congenital deficiencies and abnormalities of prothrombin. Blood Coagulation and Fibrinolysis 1998, 9:557-569
- ♦ Girolami A, Scarano L, Girolami B and **Marchiori A**. Emphasis on congenital conditions predisposing to thrombosis should not make us disregard the importance of acquired factors. Blood Coagulation and Fibrinolysis 1998,9:659-660

- ♦ Girolami A, Simioni P, Scarano L, Girolami B, **Marchiori A**. Hemorrhagic and thrombotic disorders due to factor V deficiencies and anomalies: an updated classification. *Blood reviews* 1998, 12:45-51
- ♦ Prandoni P, Bagatella P, Bernardi E, Girolami B, Rossi L, Scarano L, **Marchiori A**, Piccioli A and Girolami A. Use of an algorithm for administering subcutaneous heparin in the treatment of deep venous thrombosis. *Ann Intern Med* 1998, 129: 299-302
- ♦ Prandoni P, Bernardi E, Bagatella P, Piccioli A, **Marchiori A** The Optimal Treatment Of Venous Thrombosis: Current Status and Future Perspectives *Clin Lab* 2001;47:151-154
- ♦ Prandoni P, Lensing AW, Bernardi E, Villalta S, Bagatella P, Girolami A, Benedetti L, Frulla M, **Marchiori A**, Piccioli A, Scarano L, Tormene D. The diagnostic value of compression ultrasonography in patients with suspected recurrent deep vein thrombosis *Thromb Haemost* 2002; 88:402-6
- ♦ Prins MH, **Marchiori A** Risk of Recurrent Venous Thromboembolism-Expanding the frontier. *Thromb Haemost* 2002; 87:1-3
- ♦ Prandoni P, Lensing AW, Piccioli A, Bernardi E, Simioni P, Girolami B, **Marchiori A**, Sabbion P, Prins MH, Noventa F, Girolami A. recurrent venous thromboembolism and bleeding complications during anticoagulant treatment in patients with cancer and venous thrombosis. *Blood* 2002; 100:3484-3488
- ♦ Prandoni P, Lensing AW, Bernardi E, **Marchiori A**, Bagatella P, Frulla M, Mosena L, Tormene D, Piccioli A, Simioni P, Girolami A Residual venous thrombosis as a predictive factor of recurrent venous thromboembolism. *Ann Intern Med* 2002;137:955-60
- ♦ **Marchiori A**, Verlato F, Sabbion P, Camporese G, Rosso F, Mosena L, Andreozzi GM, Prandoni P. High versus low doses of unfractionated heparin for the treatment of superficial thrombophlebitis of the leg. A prospective, controlled, randomized study. *Haematologica* 2002;87:523-7

- ◆ Prandoni P, Bilora F, **Marchiori A**, Bernardi E, Petrobelli F, Lensing AW, Prins MH, Girolami A. An association between atherosclerosis and venous thrombosis. *N Engl J Med* 2003;348:1435-41
- ◆ **A.Marchiori**, P.Prandoni. Trombosi venosa superficiale e trombosi venosa profonda. Temi ed Eventi Vascolari-Vol III, Springer-Verlag Italia, Milano 2004
- ◆ The PERSIST investigators (...A.Marchiori...). A novel long-acting synthetic factor Xa inhibitor (SanOrg34006) to replace warfarin for secondary prevention in deep vein thrombosis. A phase II evaluation. *J Thromb Haemost* 2004;2:47-53
- ◆ Prandoni P, Carnovali M, **Marchiori A**. Subcutaneous adjusted-dose unfractionated heparin vs fixed-dose low-molecular weight heparin in the initial treatment of venous thromboembolism. *Arch Intern Med* 2004;164: 1077-83
- ◆ Pengo V, Lensing AWA, Prins MH, **Marchiori A**, et al Incidence of Chronic thromboembolic pulmonary hypertension after pulmonary embolism. *N Engl J Med* 2004;350:2257-64
- ◆ Prandoni P, Lensing AWA, Frulla M, **Marchiori A** et al. Below-knee elastic compression stockings to prevent the post-thrombotic syndrome. A randomized controlled trial. *Ann Intern Med* 2004;141-249-256
- ◆ Prandoni P, Bernardi E, **Marchiori A** et al. The long term clinical course of acute deep vein thrombosis of the arm: prospective cohort study. *BMJ* 2004; 329:484-5
- ◆ Frulla M, **Marchiori A**, et al. Elastic stockings, hydroxyethylrutosides or both for the treatment of post-thrombotic syndrome. *Thromb Haemost* 2005; 93: 183-5
- ◆ Van Dongen CJJ, Prandoni P, Frulla M, **Marchiori A**, Prins MH. Relation between quality of anticoagulant treatment and the development of the postthrombotic syndrome. *J Thromb haemost* 2005;3:939-42
- ◆ Bova C, **Marchiori A**, Noto A et al. Incidence of arterial cardiovascular events in patients with idiopathic venous thromboembolism. A retrospective cohort study. *Thromb Haemost* 2006;96:132-6

- ♦ The VESALIO Investigators Group (Steering Committee: Girolami A, Prandoni P, **Marchiori A**). High vs. low doses of low-molecular-weight heparin for the treatment of superficial vein thrombosis of the legs: a double-blind, randomised trial. *J Thromb Haemost* 2005;3:1-6
- ♦ **Marchiori A**, Mosena L, Prandoni P. Superficial vein thrombosis: risk factors, diagnosis, and treatment. *Semin Thromb Hemost* 2006;32:737-743
- ♦ **Marchiori A**, Mosena L, Prins MH, Prandoni P. The risk of recurrent venous thromboembolism among heterozygous carriers of factor V Leiden or prothrombin G20210A mutation. A systematic review of prospective studies. *Haematologica* 2007;92:1107-1114

ABSTRACTS

- ♦ Girolami A, Simioni P, Girolami B, **Marchiori A**, Zanardi S. Hereditary protein S defects: a study of 52 patients and a proposal of a simple classification for practical purposes. *Thrombosis Research* 1992; vol 5 supplement 1, C159
- ♦ Girolami A, Simioni P, Zanardi S, Gavasso S, **Marchiori A**. Triggering factors for thrombotic manifestation in congenital defects of clotting inhibitors. *Thrombosis Research* 1992; vol 5 supplement 1, C160
- ♦ Zanon E, Saracino MA, Scarano L, **Marchiori A**, Rossi L. Antiphospholipid antibodies and lupus anticoagulant in juvenile patients with documented deep vein thrombosis, *Haemostasis* 1994, 24 S1:137
- ♦ A Scudeller, Gavasso S, Girolami B, Zanardi S, **Marchiori A**, Simioni P, Girolami A. Thrombomodulin: is it a marker of deep vein thrombosis? , *Haemostasis* 1994, 24 S1:204
- ♦ Zanardi S, Sanson BJ, Gavasso S, Friederich PW, **Marchiori A** et al The incidence of venous thromboembolism during pregnancy and childbirth and

incidence of miscarriages in ATIII-, Protein S- and Protein C-deficient women.

Thrombosis and Haemostasis 1995, 73 n 6: pag.1263

♦ Prandoni P, Villalta S, Bagatella P, Rossi L, **Marchiori A** et al. The clinical course of deep vein thrombosis. Prospective long term follow up of 528 symptomatic patients. *Abstracts of Second Winter Meeting on Coagulation basic, Laboratory and Clinical Aspects of Thromboembolic Diseases, La Thuile 17-23 March 1996 Lecture*

♦ **Marchiori A.** Approccio semplificato alla diagnosi di trombosi venosa profonda: uso combinato dell'ecografia con il D-dimero (studio MIDUS). *Atti del XIV Congresso Nazionale della Società italiana Studio Emostasi e Trombosi. Bergamo 7-10 luglio 96, n.82*

♦ Bagatella P, Bernardi E, Rossi L, Girolami B, **Marchiori A**, et al. Nomogram for the administration of subcutaneous heparin in the initial treatment of proximal vein thrombosis. *Thrombosis and Haemostasis 1997, supplement, PS1139*

♦ Rossi L, Girolami B, Villalta S, Scarano L, **Marchiori A**, Girolami A. Transaminase elevation in patients with unfractionated heparin or low molecular weight heparin for deep vein thrombosis *Thrombosis and Haemostasis 1997, supplement, PS1163*

♦ Villalta S, Rossi L, Bernardi E, Bagatella P, **Marchiori A**, Scudeller A. Serial compression ultrasonography in the diagnostic approach of patients with clinically suspected recurrent deep vein thrombosis. Interim report of an ongoing study. *Thrombosis and Haemostasis 1997, supplement, OC 2401*

♦ Prandoni P, Piccioli A, Bagatella P, **Marchiori A** et al. Asymptomatic contralateral proximal-vein thrombosis in patients with symptomatic venous thrombosis of one extremity. *Haemostasis 1998, vol 28/ S2:194*

♦ Prandoni P, Bagatella P, Bernardi E, Girolami B, Rossi L, Scarano L, **Marchiori A** et al. Nomogram for the administration of subcutaneous unfractionated heparin in the initial treatment of the deep vein thrombosis. *Haemostasis 1998, vol 28/ S2:98.*

- ♦ Prandoni P, Lensing AWA, Bernardi E, Bagatella P, Villalta S, Frulla M, Piccioli A, Scarano L, **Marchiori A**, Tormene D, Benedetti L, Girolami A. A novel ultrasound protocol for the diagnosis of symptomatic recurrent deep-vein thrombosis. *Haematologica* 2000 ,Vol85,supplement to number 5,CO 189

- ♦ Prandoni P, Lensing AWA, Piccioli A, Bernardi E, Bagatella P, Simioni P, Girolami B, **Marchiori A**, Scudeller A, Sabbion P, Noventa F, Girolami A. Recurrent venous thromboembolism and bleeding complications during anticoagulant treatment in patients with cancer and venous thrombosis. *Haematologica* 2000 ,Vol85,supplement to number 5,CO 001

- ♦ **Marchiori A**, Verlato F, Prandoni P, Camporese G, Sabbion P, Rosso F, Tanduo C, Andreozzi GM, Girolami A. High versus low-dose unfractionated heparin in the treatment of acute thrombophlebitis of the thigh. Interim report of a prospective randomized study. *Haematologica* 2000 ,Vol85,supplement to number 5, PO284

- ♦ Prandoni P, Lensing AWA, Bernardi E, Bagatella P, Villalta S, Frulla M, Piccioli A, Scarano L, **Marchiori A**, Tormene D, Benedetti L, Girolami A. A novel ultrasound protocol for the diagnosis of symptomatic recurrent deep-vein thrombosis. *Haemostasis*, May 2000, 30 (suppl 1) n.86

- ♦ Prandoni P, Lensing AWA, Piccioli A, Bernardi E, Bagatella P, Simioni P, Girolami B, **Marchiori A**, Scudeller A, Sabbion P, Noventa F, Girolami A. Recurrent venous thromboembolism and bleeding complications during anticoagulant treatment in patients with cancer and venous thrombosis. *Haemostasis*, May 2000, 30 (suppl 1) n.88

- ♦ **Marchiori A**, Verlato F, Prandoni P, Camporese G, Sabbion P, Rosso F, Tanduo C, Andreozzi GM, Girolami A. High versus low-dose unfractionated heparin in the treatment of acute thrombophlebitis of the thigh. Interim report of a prospective randomized study. *Haemostasis*, May 2000, 30 (suppl 1) n.89

- ♦ Prandoni P, **Marchiori A** et al Adjusted-dose subcutaneous unfractionated heparin versus fixed-dose low molecular weight heparin in the treatment of venous thromboembolism; *Thromb Haemost* 2001 suppl July OC1646

- ◆ Prandoni P, Lensing AWA, Bernardi E, Bagatella P, Villalta S, Frulla M, **Marchiori A**, Tormene D, Benedetti L, Girolami A novel ultrasound protocol for the diagnosis of symptomatic recurrent deep vein thrombosis *Thromb Haemost* 2001 Suppl July OC42

- ◆ Prandoni P, Lensing AWA, Prins NH, Simioni P, Bagatella P, Tormene D, Frulla M, Mosenal L, **Marchiori A**, Girolami A Residual vein thrombosis as a predictive factor of recurrent venous thromboembolism *Thromb Haemost* 2001 Suppl July OC851

- ◆ Prandoni P, Lensing AWA, Piccioli A, Noventa F, Bagatella P, Bernardi E, Girolami B, **Marchiori A**, Sabbion P, Simioni P, Prins MH, Girolami A. Recurrent venous thromboembolism and bleeding complications during anticoagulant treatment in patients with cancer and venous thrombosis. *Thromb Haemost* 2001 Suppl July OC901

- ◆ Prandoni P, Lensing AWA, Prins MH, Simioni P, Bernardi E, Tormene E, Bagatella P, Frulla M, Mosenal L, **Marchiori A**, Girolami Residual vein thrombosis as a predictive factor of recurrent venous thromboembolism. A prospective cohort study. *Haematologica* 2002 vol 87 (suppl.5): C138,p:56

- ◆ Prandoni P, Lensing AWA, Piccioli A, Noventa F, Bagatella P, Bernardi E, Girolami B, **Marchiori A**, Sabbion P, Simioni P, Prins MH, Girolami A. Recurrent venous thromboembolism and bleeding complications during anticoagulant treatment in patients with cancer and venous thrombosis. *Haematologica* 2002 VOL 87 (suppl. 5):p:19 CO 47

- ◆ Prandoni P, Carnovali M, Marchiori A et al. Subcutaneous adjusted-dose unfractionated heparin versus fixed-dose low-molecular-weight heparin in the treatment of venous thromboembolism. A prospective randomized study. *Haematologica* 2002 vol 87 (suppl.5): p:44 C109

- ◆ **Marchiori A**, Verlato F, Sabbion P, Camporese G, Mosenal L, Rosso F, Andreozzi GM, Prandoni P. High versus low-doses of heparin for the treatment of

superficial thrombophlebitis of the leg. A prospective controlled randomized study. Haematologica 2002 vol 87 (suppl.5): p:44 C110

♦ Prandoni P, Villalta S, Bagatella P, Frulla M, Mosena L, Sartor D, Marchiori A, Bernardi E, Piccioli A, Girolami A. The long-term clinical course of acute deep vein thrombosis of upper extremities. A prospective cohort study. Pathophysiol. Haemost. Thromb.2002;32 (suppl 2)p:58 O78

♦ Prandoni P, Carnovali M, **Marchiori A** et al. Subcutaneous adjusted-dose unfractionated, heparin versus fixed-dose Low-MolecularWeightHeparin (nadroparin) in the treatment of venous thromboembolism. A prospective controlled randomized study Interim report Pathophysiol. Haemost. Thromb.2002;32 (suppl 2)p:71 O129

♦ Prandoni P, Frulla M, Mosena L, Sartor D, **Marchiori A**, Bernardi E, Piccioli A, Girolami A. Benefit of below-knee elastic compression stockings for prevention of the post thrombotic syndrome in patients with proximal-vein thrombosis. A prospective controlled randomized study. Pathophysiol. Haemost. Thromb.2002;32 (suppl 2)p:72 O136

♦ Prandoni P, Lensing AWA, Prins MH, Bernardi E, **Marchiori A**, Bagatella P, Frulla M, Mosena L, Tormene D, Piccioli A, Simioni P, Girolami A. residual vein thrombosis as a predictive factor of recurrent venous thromboembolism. A prospective cohort study. Pathophysiol. Haemost. Thromb.2002;32 (suppl 2)p:73 O138

♦ Prandoni P, Bilora F, **Marchiori A**, Bernardi E, Petrobelli F, Lesnig AWA, Prins MH, Girolami A Atherosclerosis as a potential risk factor of venous thrombosis. J Thromb Haemost July 2003 P1385

♦ Prandoni P, Frulla M, Marchiori A, Bernardi E, Tormene D, Mosena L, Sartor D, Lensing AWA, Prins MH, Girolami A. Below-knee elastic compression stockings for prevention of the post-thrombotic syndrome in patients with proximal-vein thrombosis. A prospective controlled randomized study. J Thromb Haemost July 2003 OC183

- ◆ Prandoni P, Carnovali M, Marchiori A et al Subcutaneous adjusted-dose unfractionated, heparin versus fixed-dose Low-MolecularWeight Heparin (nadroparin) in the initial treatment of venous thromboembolism. J Thromb Haemost July 2003 P1866
- ◆ Pengo V, Lensing AWA, Prins MH, Marchiori A et al Symptomatic chronic thromboembolic pulmonary hypertension after symptomatic pulmonary embolism:incidence and risk factors:a long-term follow-up study. J Thromb Haemost July 2003 OC179
- ◆ Prandoni P, Bernardi E, Marchiori A et al. The long-term clinical course of acute deep vein thrombosis of the arm: a prospective cohort study. J Thromb Haemost July 2003 OC180
- ◆ Prandoni P, Lensing AWA, Prins MH, Frulla M, Marchiori A, et al Below-knee elastic compression stockings for prevention of the post-thrombotic syndrome. A prospective controlled randomized study. Pathophysiol Haemost Thromb 2003,33(suppl 2)OC115
- ◆ Frulla M, **Marchiori A**, et al. Elastic stockings, hydroxyethylrutosides or both for the treatment of post-thrombotic syndrome. Pathophysiol Haemost Thromb 2003,33(suppl 2) OC120
- ◆ Prandoni P, Bernardi E, **Marchiori A** et al. The long term clinical course of acute thrombosis of the arm: prospective cohort study. Pathophysiol Haemost Thromb 2003,33(suppl 2) OC58
- ◆ Marchiori A et al Plasma levels of factor VIII, IX and XI and risk of recurrent venous thromboembolism. Pathophysiol Haemost Thromb 2003,33(suppl 2) FP26
- ◆ Pengo V, Lensing AWA, Prins MH, **Marchiori A**, et al High incidence of Chronic thromboembolic pulmonary hypertension after pulmonary embolism. Pathophysiol Haemost Thromb 2003,33(suppl 2) FP28

- ♦ Prandoni P, Lensing AWA, Prins MH, Frulla M, Marchiori A, et al Below-knee elastic compression stockings for prevention of the post-thrombotic syndrome. A prospective controlled randomized study. Haematologica 2004; 89 (suppl.8)CO 034
- ♦ Frulla M, **Marchiori A**, et al. Elastic stockings, hydroxyethylrutosides or both for the treatment of post-thrombotic syndrome Haematologica 2004; 89 (suppl.8)PO 151
- ♦ Prandoni P, Bernardi E, **Marchiori A** et al. The long term clinical course of acute thrombosis of the arm: prospective cohort study. Haematologica 2004; 89 (suppl.8)CO 119
- ♦ Marchiori A et al Plasma levels of factor VIII, IX and XI and risk of recurrent venous thromboembolism. Haematologica 2004; 89 (suppl.8)CO 086
- ♦ Pengo V, Lensing AWA, Prins MH, **Marchiori A**, et al High incidence of Chronic thromboembolic pulmonary hypertension after pulmonary embolism. Haematologica 2004; 89 (suppl.8)COS 05

Parbwa 12/17/07

Prandoni P